## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



A241.01 F762 Cop. 2

# Supplement to FOREIGN-LANGUAGE TRANSLATIONS

of

#### FOREST PRODUCTS RESEARCH RESULTS

Available for reference in the Library, Forest Products Laboratory, 1/2 Forest Service, U.S. Department of Agriculture, Madison, Wisconsin 53705.

Note: The material listed was translated by the Forest Products
Laboratory for use in connection with research activities.

These translations are not published and are not available for free distribution. However, they are available for reference at the Forest Products Laboratory, Madison, Wis. Copies have been deposited at the Library, U.S. Department of Agriculture, Washington 25, D.C., and can be purchased from there at these rates: Microfilms--\$1 for each 30 pages or fraction thereof from a single article; Photoprints--\$1 for each 4 pages or fraction thereof from a single article. All charges are cash with order. (Payment may be by cash, Library coupon, check, or money order.)

S DEPT OF AGRICULTURE

DEC 2 - 1964

SUMREST SEMAL RECORDS

Maintained at Madison, Wis., in cooperation with the University of Wisconsin.

#### FOREIGN-LANGUAGE TRANSLATIONS

of

#### FOREST PRODUCTS RESEARCH RESULTS

Available for reference in the Forest Products Laboratory Library, Madison, Wisconsin 53705.

### Translation No. Author, Title, and Source 500 $/34\times3$ BURO, A. The action of heat on the fungus resistance of pine and beech. Holz als Roh- und Werkstoff, Bd. 12 (1954), 294-304.PAHLITZSCH, G., and MEHRDORF, J. Manufacture of chips with horizontal disk chippers: Part I-Influence of chipping thickness and wood moisture on the production of wood chips. Holz als Roh- und Werkstoff 20(8):314-322, August 1962. 517 PAHLITZSCH, G., and MEHRDORF, J. Manufacture of chips with horizontal flat disk chippers: Part II-Effect of cutting-velocity, chip angle and cut-surface angle. Holz als Roh- und Werkstoff 20(10): 408-418, October 1962. KOLLMANN, F. An equation of adsorption isotherm. 518 3476 Naturwissenschaften, 49(9), 1962. 519 KOLLMANN, F. Method of physical wood research. Schweizerischen Zeitschrift fur Forstwesen, No. 1, January 1962. 13475 KOVANEN, M. On the rotary cutting of veneer. Papperi 521 Ja Puu Papper Och Tra, No. 9, 1962. STOFKO, J. Particle board with oriented particles. Drevarsky Vyskum 2, 127-146, 1962. 528 13469 PAHLITZSCH, G., and MEHRDORF, J. Manufacture of chips with horizontal flat disk chippers: Part III-Effect of knife-edge angle, inclination angle, and angle of cutdirection on the manufacture of wood chips. Holz als Roh- und Werkstoff 20(11): 443-453, November 1962.

IPS-79 (Supplement IV)

- 531 /3 448 ZDENEK, M. Present state of lumber protection against fire by inpregnation in Czechoslovakia. Drevo, 17: 173-177, 1962.
- 532 /3 # 8 / CIZEK. Effect of pressing technology on the increased productivity in the particle board industry. Drevo, 17(5): 140-146, 1962.
- 533/3 4 72 LITRI, O., and HAAVISTO, S. Investigations on the significance of prepressing in the manufacture of particle board. Papperi Ja Puu Papper Och Tra, 1962 (4).
- KEYLWERTH, R., and HÖFER, W. Studies on the electrical strain gauge extensometer. Holz als Roh- und Werkstoff, 20(2): 57-61, February 1962.
- 535/3 $\frac{7}{7}$  LYR, H. Wood decomposition by fungi. Archiv fur Forstwesen 10(4-6): 615-626, 1961.
- DOMANSKY, R., and RENDOS, F. On the pyrolysis of wood and its components. Holz als Roh- un Werkstoff, 20(12): 473-476, December 1962.
- PAHLITZSCH, G., and MEHRDORF, J. Manufacture of chips with horizontal flat disk chippers: Part IV--Chipping of poplarwood compared to chipping of pinewood. Holz als Roh- und Werkstoff 21(4): 144-149, April 1963.
  - 539 /37 / DEPPE, H., and ERNST, K. Measuring the surface of particle board. Holz als Roh- und Werkstoff 21(4): 129-132, April 1963.
  - 540 /40 55 SEIFERT, K. Chemical parallels in the decomposition of the wood substance by organisms. Holz als Roh- und Werkstoff 21(3): 85-96, March 1963.
  - SALLENAVE, P. Physical and mechanical properties of the tropical woods of the French Union. Centre Technique Forestier Tropical, Publication No. 8, 1955.
  - LAUNER, L., and PODSTANICKY, A. The centrifugal air separator--experiment equipment and the test results. Drevarsky Vyskum, No. 4, 1962.

No.

#### Author, Title, and Source

- Justin 2.0:0 543 FISCHER, A., and MERKLE, G. Testing of particleboard surfaces. Holz als Roh- und Werkstoff, 21(3): 96-104, March 1963.
- 544 1004/ PLATH, E. Influence of density on wood-base materials. Holz als Roh- und Werkstoff, 21(3): 104-108, March 1963.
- 545 /346 RACKE, H. H. Stress distribution in the zones of the steel load transmission in prestressed pretensioned concrete beams of different eccentricities. Schweizer Archive-Annales Suisses, Vol. 22, No. 6, pp. 169-177, June 1956.
- 546 June 426 NEUSSER, N. About the changes of glues during the production process of particle board and some factors influencing their adhesive quality. Holzforschung und Holzverwertung 14(1962), 5/6: 88-97.
- 13462 LOON, VAN J. The relationship between paint and wood. Sonderdruck aus Deutsche Farben-Zeitschrift, Jahrgang 17, pp. 61-66, February 1963.
- BARSKAJA, E. I. Histochemical study of the process of lignification in the maturation of wood. Fiziologiia rastinnii, USSR, Vol. 9, No. 2, pp. 210-221.
- 549 34 73 KISSER, J., and LOHWAG, K. Histochemical experiments with lignified cell walls. Mikrochemie, 23:51-60 (1937).
- 550 June File RACKWITZ, GERHARD. Der Einfluss der Spanabmessungen auf einige Eingenschaften von Holzspanplatten. Influence of chip dimensions on some properties of wood particle board. Holz als Roh- und Werkstoff, 21(6): 200-209, June 1963.
- 551 SWIDERSKI, JOSEF. Evaluation of different hardboard processes: Wet, semidry, and dry process. Holz als Roh- und Werkstoff 21(6): 217-225, June 1963.
- 553 3479 GAUDEL, PAUL. The polyglycol process, a contribution to the conservation of big pieces of moist wood. Presented at the fourth meeting of the Arbeits-Gemeinschaft des Technischen Museumspersonals in Mainz, 1962. Der Praparator, Zeitschrift fur Museumstechnik, 9(2): 202-210, April 1963.

- of high quality particle board in small plants. Holz als
  Roh- und Werkstoff 21(6): 197-199, June 1963.
- 556 YAMATA, T. Rheology of Wood (II). Mokuzai Kogyo (Wood Industry) 18(9): 4-7, September 1963.
- 557 Juntile NEWMAN, J. A. S. Influence of the paper machine on the dimensional stability of paper. Das Papier 17(10): 491-496, October 1963.
- 558 Frank Tile SCHMUTZLER, Wolfgang. Knife disks and blocks for chippers. Holz als Roh- und Werkstoff 21(10): 410-415, October 1963.
- 567 ZELAWSKI, W., and WODZICKI, J. Annual ring differentiation of spruce seedlings in connection with daily light rhythm.
  Folia Forestalia Polonica 1960, Sheet 2, Series A, 113-121.
- YAMAGISHI, Y., IMURA, S., and OKADA, M. Studies on the test methods of particle boards and particle board core plywoods. Part I Modified Northcott's cleavage test as a test method on the internal bond quality of particle boards. Report No. 31. Hokkaido Forest Products Research Institute, September 1963.
- 572 ANDRE, P. Contribution to the study of the compression of lignocellulosic elements. Discovery of an endothermic phase in the course of the compression of particles of Picea abies (Karst). Forest Laboratory, University of Louvain. Centre d'Etude pour l'Utilisation des Sciures de Bois 6 1963.
- 574 OGARKOVA, T. V. Temperature deformation of wood during heating. Derev. Prom. 5(5): 17-18, May 1956.
- 577 June Till SOLECNIK, N. J., NATKINA, L. N., KOROMYSLOVA, T. S., et al. The manufacture of compressed binderless boards from waste wood. Derev. Prom. 12(3): 9-11, 1963.
- 579 LAZAR, L. Examination of the use of shavings for insulating boards. FAIPARI KUTATASOK 1962(VI): 189-193, Budapest.

#### Author, Title, and Source

- SAITO, T., ABE, M., and KITAZAWA, M., et al. The examination of preparing wood particles with a centrifugal ring chipper for particle boards. Report No. 32. Hokkaido Forest Products Research Institute, September 1963.
- 582 LEGARSKI, L. O. Equipment for observation of shrinkage of dried lumber. Derev. Prom. 4: 6-9, 1963.
- RAK, JAROMIR. Permeability of wood for liquids-measuring the water permeability of beech wood in the radial direction. Drevársky Výskum 2: 91-101, 1963.
- TERAZAWA, S., KODAMA, M., and SATO, S. Studies on the drying equipment for wood (5). Studies on the internal fan type dry kilns (2). On the distribution of air velocity and pressure in the kilns. Bull. For. Exp. Sta. Meguro, Tokyo, No. 150: 33-51, 1963.